

Mayfair mini

VIBIA

5495

Design By Diego Fortunato

Portable version powered by a rechargeable battery. This can be moved exactly where needed, indoors or out. A push button in the base turns it on and off and controls dimming.

Model Sheet

Finish	25 Beige D1 test ral 23 Warm White test ral 37 Terra Red NCS S 4040-Y70R 47 Green L1 test ral
LED temperature color	2700 K
Dimming	Sensor
Installation type	Portable with battery
Materials	Shade: ABS Diffuser: Polycarbonate Vertical tube: Steel Base: ABS
Light source	1 x undefined A+
LED	CR>90 223 lm 86 2700 K
Driver	CV - Constant Voltage 100-240 V 50/60 HZ
Remarks	Rechargeable battery autonomy. 6 hours maximum intensity. 12 hours 50% intensity. 24 hours 25% intensity. LED IP20 Bi-volt 50-60Hz
Application	Table Lamps
Packaging	1 Box 0.26 m x 0.25 m x 0.5 m Gross weight 1.62 Net weight 0.73 Vol. 0.0325

Lighting effect

General Lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.

Photometric Data

Efficiency	86.077 lm/
Coordinate System	CG
Total Flux	223 lm
Maximum Value	365.58 cd/klm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com